

## UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERC United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/676,644	10/02/2003	Neil R. Sweet	1293	7875
7590 12/17/2004			EXAMINER	
Law Offices of John D. Gugliotta, PE, Esq.			COLETTA, LORI L	
202 Delaware Building 137 Wouth Main Street			ART UNIT	PAPER NUMBER
Akron, OH 44308			3612	
			DATE MAILED: 12/17/200	4

Please find below and/or attached an Office communication concerning this application or proceeding.

	Application No.	Applicant(s)				
	10/676,644	SWEET, NEIL R.				
Office Action Summary	Examiner	Art Unit				
	Lori L. Coletta	3612				
The MAILING DATE of this communication app Period for Reply	ears on the cover sheet with the c	orrespondence address				
A SHORTENED STATUTORY PERIOD FOR REPLY THE MAILING DATE OF THIS COMMUNICATION.  - Extensions of time may be available under the provisions of 37 CFR 1.13 after SIX (6) MONTHS from the mailing date of this communication.  - If the period for reply specified above is less than thirty (30) days, a reply If. NO period for reply is specified above, the maximum statutory period w  - Failure to reply within the set or extended period for reply will, by statute, Any reply received by the Office later than three months after the mailing earned patent term adjustment. See 37 CFR 1.704(b).	16(a). In no event, however, may a reply be time within the statutory minimum of thirty (30) days fill apply and will expire SIX (6) MONTHS from cause the application to become ABANDONE	nety filed s will be considered timely. the mailing date of this communication. D (35 U.S.C. § 133).				
Status						
1) Responsive to communication(s) filed on <u>02 Oc</u>	<u>ctober 2003</u> .					
· <u> </u>						
Since this application is in condition for allowance except for formal matters, prosecution as to the ments is closed in accordance with the practice under <i>Ex parte Quayle</i> , 1935 C.D. 11, 453 O.G. 213.						
Disposition of Claims						
4) ☐ Claim(s) 1-11 is/are pending in the application. 4a) Of the above claim(s) is/are withdraw 5) ☐ Claim(s) is/are allowed. 6) ☐ Claim(s) is/are rejected. 7) ☐ Claim(s) 1-11 is/are objected to. 8) ☐ Claim(s) are subject to restriction and/or	vn from consideration.					
Application Papers						
9) ☐ The specification is objected to by the Examiner 10) ☐ The drawing(s) filed on <u>02 October 2003</u> is/are:  Applicant may not request that any objection to the or  Replacement drawing sheet(s) including the correction  11) ☐ The oath or declaration is objected to by the Examiner	a) accepted or b) ⊠ objected drawing(s) be held in abeyance. See on is required if the drawing(s) is obj	e 37 CFR 1.85(a). ected to. See 37 CFR 1.121(d).				
Priority under 35 U.S.C. § 119						
12) Acknowledgment is made of a claim for foreign a) All b) Some * c) None of:  1. Certified copies of the priority documents 2. Certified copies of the priority documents 3. Copies of the certified copies of the priori	s have been received. s have been received in Application ity documents have been received (PCT Rule 17.2(a)).	on No ed in this National Stage				
Attachment(s)						
<ol> <li>Notice of References Cited (PTO-892)</li> <li>Notice of Draftsperson's Patent Drawing Review (PTO-948)</li> <li>Information Disclosure Statement(s) (PTO-1449 or PTO/SB/08) Paper No(s)/Mail Date 10022003.</li> </ol>	4) Interview Summary Paper No(s)/Mail Da 5) Notice of Informal Pa					

1. The drawings are objected to under 37 CFR 1.83(a). The drawings must show every feature of the invention specified in the claims. Therefore, the means attachable to each of said storage compartment (claim 8) must be shown or the feature(s) canceled from the claim(s). No new matter should be entered.

Corrected drawing sheets in compliance with 37 CFR 1.121(d) are required in reply to the Office action to avoid abandonment of the application. Any amended replacement drawing sheet should include all of the figures appearing on the immediate prior version of the sheet, even if only one figure is being amended. The figure or figure number of an amended drawing should not be labeled as "amended." If a drawing figure is to be canceled, the appropriate figure must be removed from the replacement sheet, and where necessary, the remaining figures must be renumbered and appropriate changes made to the brief description of the several views of the drawings for consistency. Additional replacement sheets may be necessary to show the renumbering of the remaining figures. The replacement sheet(s) should be labeled "Replacement Sheet" in the page header (as per 37 CFR 1.84(c)) so as not to obstruct any portion of the drawing figures. If the changes are not accepted by the examiner, the applicant will be notified and informed of any required corrective action in the next Office action. The objection to the drawings will not be held in abeyance.

2. The drawings are objected to as failing to comply with 37 CFR 1.84(p)(5) because they do not include the following reference sign(s) mentioned in the description:

Reference characters 6 (page 7, line 18), 48 (page 9, lines 10, 16) and 50 (page 9, line 14) are not shown in the Figures.

Corrected drawing sheets in compliance with 37 CFR 1.121(d) are required in reply to the Office action to avoid abandonment of the application. Any amended replacement drawing sheet should include all of the figures appearing on the immediate prior version of the sheet, even if only one figure is being amended. The replacement sheet(s) should be labeled "Replacement Sheet" in the page header (as per 37 CFR 1.84(c)) so as not to obstruct any portion of the drawing figures. If the changes are not accepted by the examiner, the applicant will be notified and informed of any required corrective action in the next Office action. The objection to the drawings will not be held in abeyance.

## Specification

3. The disclosure is objected to because of the following informalities:

"Pin apertures 94" (page 13, line 4) needs to be changed to --Pin apertures 94b---

Appropriate correction is required.

## Claim Objections

4. Claims 1-11 are objected to because of the following informalities:

Regarding claim "tail wall" (line 3) needs to be changed to --tailgate--.

Appropriate correction is required.

## Allowable Subject Matter

5. Claims 1-11 are allowed.

The following is a statement of reasons for the indication of allowable subject matter:

The recitations of the specific features of the truck storage apparatus positioned adjacently to the forward wall of the cargo area of the truck in claim 1 including especially the construction of the

Application/Control Number: 10/676,644

Art Unit: 3612

ramp storage compartment externally coupled to the storage compartment and adjacently

engaging the forward wall is not taught nor is fairly suggested by the prior art of record.

6. The prior art made of record and not relied upon is considered pertinent to applicant's

disclosure.

The cited references show several other storage apparatuses similar to that of the current

invention.

7. Any inquiry concerning this communication or earlier communications from the

examiner should be directed to Lori L. Coletta whose telephone number is (703) 306-4614.

The examiner can normally be reached on Monday-Friday 6:00am-2:30pm.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's

supervisor, Glenn Dayoan can be reached on (703) 308-3102. The fax phone number for the

organization where this application or proceeding is assigned is 703-872-9306.

Information regarding the status of an application may be obtained from the Patent

Application Information Retrieval (PAIR) system. Status information for published applications

may be obtained from either Private PAIR or Public PAIR. Status information for unpublished

applications is available through Private PAIR only. For more information about the PAIR

system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR

system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

Loui &. Coletta

Page 4

Lori L. Coletta Primary Examiner

Art Unit 3612

llc

December 10, 2004